



# SENTINEL FIREPLACES

Cast Iron/Steel Freestanding Stoves





# SENTINEL FIREPLACES

Cast Iron/Steel Freestanding Stoves

## Evo 5

Multifuel – Anthracite or Wood  
Heat Output 8 KW – 300 m<sup>3</sup>  
Flue outlet 150 mm  
Top and rear flue outlet  
H540mm x W 570mm x D 473mm  
External air inlet  
Rear flue centre height – 435mm



Evo 5

## 943 Grande

Multifuel – Anthracite or Wood  
Heat Output 14 KW – 540 m<sup>3</sup>  
Flue outlet 150 mm  
Top and rear flue outlet  
  
H725mm x W 720mm x D 435mm  
Rear flue centre height – 510mm



943 Grande

## 050 Traditional

Multifuel - Anthracite or Wood  
Heat output 12 KW - 450m<sup>3</sup>  
Flue outlet 150 mm  
Top and rear flue outlet  
  
H710mm x W555mm x D480mm  
Rear flue centre height - 540mm



050 Traditional

## 942

Multifuel - Anthracite or Wood  
Heat output 12 KW - 450 m<sup>3</sup>  
Flue outlet 150 mm  
Top and rear flue outlet  
  
H720mm x W565mm x D465mm  
Rear flue centre height - 520mm



942 Double Vent L

## 034 Square

Multifuel – Anthracite or Wood  
Heat Output 10 KW - 380 m<sup>3</sup>  
Flue outlet 150 mm  
Top and rear flue outlet  
  
H605mm x W 595mm x D365mm  
Rear flue centre height – 445mm



034 Square

## 044 Double Door

Multifuel - Anthracite or Wood  
Heat output 10 KW - 380m<sup>3</sup>  
Flue outlet 150 mm  
Top and rear flue outlet

H605mm x W595mm x D365mm  
Rear flue centre height - 445mm



044 Double Door

## 055 Ribbed

Multifuel - Anthracite or Wood  
Heat output 10 KW - 380m<sup>3</sup>  
Flue outlet 150 mm  
Top and rear flue outlet

H715mm x W490mm x D445mm  
Rear flue centre height - 545mm



055 Ribbed

## 033 Square

Multifuel - Anthracite or Wood  
Heat output 8 KW - 300m<sup>3</sup>  
Flue outlet 150 mm  
Top and rear flue outlet

H570mm x W555mm x D340mm  
Rear flue centre height - 415mm



033 Square

## 942

Multifuel - Anthracite or Wood  
Heat output 8 KW - 300m<sup>3</sup>  
Flue outlet 125 mm  
Top and rear flue outlet

H655mm x W480mm x D420mm  
Rear flue centre height - 505mm



942 Double Vent M

## 049 Curved

Multifuel - Anthracite or Wood  
Heat Output 6.5 KW - 240m<sup>3</sup>  
Flue outlet 125 mm  
Top and rear flue outlet

H 590mm x W 430mm x D320mm  
Rear flue centre height - 470mm



049 Curved

## 066 Basic

Wood burner  
Heat output 5 KW - 190m<sup>3</sup>  
Flue outlet 125 mm  
Top flue only

H 495mm x W460mm x D315mm  
Steel Construction / Vermiculite Lining



066 Basic



# SENTINEL FIREPLACES

Cast Iron/Steel Freestanding Stoves

## New Ottawa Range 2017

### Features

Full vermiculite firebrick lining, Advanced clean burn system, Pre-heated Airwash,  
Thick steel plate with cast iron door, grate and log retainer.

### Ottawa Square

Heat output 12 KW - 450m<sup>3</sup>  
Flue outlet 150 mm  
Top and rear flue outlet

H610mm x W570mm x D420mm  
Stove height with log stand - 850mm  
Rear flue centre height:  
Without log stand - 480mm / With log stand - 730mm



Ottawa Square

### Ottawa Curve

Heat output 10 KW - 380m<sup>3</sup>  
Flue outlet 150 mm  
Top and rear flue outlet

H620mm x W520mm x D450mm  
Stove height with log stand - 820mm  
Rear flue centre height:  
Without log stand - 490mm / With log stand - 690mm



Ottawa Curve

### Ottawa Compact

Heat output 6 KW - 220m<sup>3</sup>  
Flue outlet 125 mm  
Top and rear flue outlet

H560mm x W480mm x D365mm  
Stove height with log stand - 750mm  
Rear flue centre height:  
Without log stand - 460mm / With log stand - 650mm



Ottawa Compact