

www.woodstovefireplaces.co.za

OPTIMUM HEAT • OPTIMUM EFFICIENCY

• ALL THE LATEST FEATURES

ALL STOVES HAVE: Airwash for clean glass • Secondary combustion for greater efficiency • Convection heating



COSMO FLOOR STANDING

- Maximum heat output 10kw
approx 400 cubic meters
- Vermiculate firebricks
- Flue outlet 150mm top or rear
Height to centre rear flue outlet
860mm
- 935 (h) x 519 (w) x 492 (d)

COSMO PEDESTAL

- Maximum heat output 10kw
approx 400 cubic meters
- Vermiculate firebricks
- Flue outlet 150mm top or rear
Height to centre rear flue outlet
980mm
- 1120 (h) x 525 (w) x 491 (d)



 FIRE™
Canature
WOOD BURNING STOVES

www.woodstovefireplaces.co.za

THE WOOD STOVE TRADING COMPANY (PTY) LTD T/A FIREPLACE & STOVE CENTRE

 FIRE™
Canature
WOOD BURNING STOVES

Canature Deco Maxi



Optimum heat • Optimum efficiency
• All the latest features

Based on its Canadian design and technological heritage, Canature offers a full range of quality stoves to suit all environments.

With all the latest clean burn technology, a Canature Stove will enhance your lifestyle in an eco friendly way, burning a renewable energy source.

www.woodstovefireplaces.co.za

FREE STANDING RANGE

Canature FIRE™
WOOD BURNING STOVES

DECO MINI CWF 3

- Maximum heat output 6kw
approx 240 cubic meters
- Vermiculate firebricks
- Flue outlet 150mm top or rear
Height to centre rear flue outlet
500mm
- 600 (h) x 480 (w) x 360 (d)



DECO PLUS CWF 4

- Maximum heat output 9kw
approx 360 cubic meters
- Vermiculate firebricks
- Flue outlet 150mm top or rear
Height to centre rear flue outlet
500mm
- 600 (h) x 600 (w) x 395 (d)



DECO MAXI CWF 5

- Maximum heat output 13kw
approx 520 cubic meters
- Vermiculate firebricks
- Flue outlet 150mm top or rear
Height to centre rear flue outlet
590mm
- 700 (h) x 750 (w) x 450 (d)



GEMINI GF32

- Maximum heat output 13kw
approx 520 cubic meters
- Vermiculate firebricks
- Flue outlet 150mm top only
- 879 (h) x 726 (w) x 478 (d)



ARIES CWF 10

- Corner or wall unit
- Maximum heat output 10kw
approx 400 cubic meters
- Vermiculate firebricks
- Flue outlet 150mm top or rear
Height to centre rear flue outlet
950mm
- 1104 (h) x 506 (w) x 457 (d)



TAURUS SI

AVAILABLE AS SINGLE OR DOUBLE SIDED

- Maximum heat output:
Single 9kw *approx 360 cubic meters*
Double 11kw *approx 440 cubic meters*
- Vermiculate firebricks
- Flue outlet 150mm top only
- With logholder:
860 (h) x 650 (w) x 400 (d)
Unit only:
510 (h) x 650 (w) x 400 (d)



TAURUS P3 F

AVAILABLE AS SINGLE OR DOUBLE SIDED

- Maximum heat output: Single 13kw
approx 450 cubic meters
Double 15kw
approx 600 cubic meters
- Vermiculate firebricks
- Flue outlet 150mm top only
- With logholder:
899 (h) x 819 (w) x 511 (d)
Unit only:
510 (h) x 819 (w) x 511 (d)



P10 LANDSCAPE FREE STANDING

SINGLE SIDED

- Maximum heat output 14kw
approx 560 cubic meters
- Clay firebrick lining
- Black trim ceramic glass
- Flue outlet 150mm top only
- Unit only: 552 (h) x 1020 (w) x 467 (d)
With log table: 852 (h) x 1420 (w)



P11 LANDSCAPE FREE STANDING

DOUBLE SIDED

- Maximum heat output 15kw
approx 600 cubic meters
- Clay firebrick lining
- Black trim ceramic glass
- Flue outlet 175mm top only
- Unit only: 567 (h) x 1055 (w) x 570 (d)
With log table: 867 (h) x 1420 (w)

